

L Number	Hits	Search Text	DB	Time stamp
1	2	fault near10 management same gas near discharge near1 lamp	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/18 17:53
2	2	fault near10 management and gas near discharge near1 lamp	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/18 17:54
3	5	fault and management and gas near discharge near1 lamp	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/18 17:55
4	132	fault and management and gas and lamp	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/18 17:57
5	0	prheat\$3 and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/18 17:56
6	2999	preheat\$3 and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/18 17:57
7	4	(fault and management and gas and lamp) and (preheat\$3 and threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/18 17:56
8	12	preheat\$3 and (fault and management and gas and lamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/18 17:57